




SIP Speakers, Horns, Clock/Speaker Combos

PoE (802.3af)
Audio/Aux Output to Drive Valcom Amplified Speakers



Ceiling Speakers

- A** 8" Ceiling Speaker, One-Way, *White*VIP-120A
8" Ceiling Speaker, Talkback, *White*VIP-160A
- B** 8" Clean Room Speaker, One-Way, *White*VIP-140A
- C** 2'x2' Lay-In Ceiling Speaker, One-Way, *White*VIP-402A
2'x2' Lay-In Ceiling Speaker, European, One-Way *White*VIP-402A-EC
2'x2' Lay-In Ceiling Speaker, Talkback *White*VIP-422A


Wall Speakers One-Way/Talkback Programmable

- D** Stealth Corridor™, Vandal-Resistant, *Bronze -BR, White -W*VIP-9815A
- E** IP Wall Speaker Assembly *Gray*VIP-430A
- F** IP 8" Square Speaker Faceplate *White*VIP-428A
BackBoxes:
SurfaceVB-S11
RecessedVB-R12
AngledVB-A13




Horns

- G** Horn, One-Way, *Beige -BGE, Gray -GY*VIP-130AL-x
Horn, Talkback, *Beige -BGE, Gray -GY*VIP-148AL-x
- H** Horn, One-Way, Marine, *White*VIP-130AL-M
Horn, Talkback, Marine, *White*VIP-148AL-M
- I** FlexHorn™, One-Way, *Beige -BGE, Gray -GY, White -W*VIP-480AL-x
FlexHorn™, Talkback, *Beige -BGE, Gray -GY, White -W*VIP-490AL-x



Vandal-Resistant Horns

- J** FlexHorn™ Vandal-Resistant, Surface Mount Unit, *Gray*VIP-580A
- K** FlexHorn™ Vandal-Resistant, Angled Surface Mount Unit, *Gray* ...VIP-581A
- L** Stealth Speaker™, Vandal-Resistant, *Bronze -BR, White -W*VIP-9831A
- M** FlexHorn™ Interior Square Faceplate, *White*VIP-9880A
BackBox:
RecessedVB-R17-D



Clock/Speakers One-Way/Talkback Programmable

- N** Surface Mount Speaker Angled with Digital Clock, *Gray* . .VIP-431A-DS
- O** Speaker Faceplate, *Gray* with Digital ClockVIP-432A-DF
- P** Speaker Faceplate, *White* with Digital Clock (4-Digits)VIP-429A-D
- Q** Flush Mount Speaker/with Digital Clock, *White* (6-Digits) . .VIP-426A-D
- R** Speaker Faceplate Unit with Analog Clock, *White*VIP-429A-A

Backboxes


- Recessed VB-R19, Surface VB-S20, Angled VB-A21
- Recessed VB-R22, Surface VB-S23, Angled VB-A24
- Recessed VB-R22, Surface VB-S23, Angled VB-A24
- Recessed VB-R22, Surface VB-S23, Angled VB-A24

IP Strobe PoE

- 15,30,75,95,110 Candella - User Selectable
 - Activate on SIP Call
 - Can Activate Multiple Strobes Via Single SIP Call
 - Activate on Group Audio
- IP Strobe.....VIP-999




Flash of Light to Get Attention in Noisy Areas
Where Paging Can't be Heard



Call Station Intercoms Surface or Pole Mount

- A** 2, 3 or 4 Multi-Button Emergency/Information Call StationVIP-9894
- B** Vandal-Resistant Call Station (*Long Line Extender*)VIP-9890AL-CB
- C** Emergency Vandal-Resistant Call StationVIP-9890A-EM
Emergency Vandal-Resistant Call Station (*Long Line Extender*)VIP-9890AL-EM
- D** Emergency Vandal-Resistant Call StationVIP-9895



Doorplate Intercom Speakers Flush Mount

- E** Call Button/LED, *Brass*VIP-172AL-BRASS
- F** Call Button/LED, *Brushed Stainless Steel*VIP-172AL-ST
- G** Vandal-Resistant Call Button/LED, *16 AWG Stainless Steel*VIP-172AL-VRSS
- H** SIP Vandal-Resistant Call Button/LED, *Brushed Stainless Steel*VIP-176

Emergency Phones

- I** IP Emergency Call Tower, Vandal-ResistantVE9811x

IP Emergency Telephone with Mass Notification Broadcast Unique, Contemporary Style — Sleek

- Full SIP Functionality – Multi SIP Servers
- Compatible with Cisco, Nortel, Avaya & Most Modern IP Telephone Systems
- Automatic Talkback Operation (No Push-to-Talk Button Required)
- High-Intensity LED Blue Flashing Light
- LED Lighted Call Button

Options:


- Fiber
- PoE & Powered
- 115 – 240 Volts
- Managed Headend Switch
- Solar Powered
- Night Light Powering
- WiFi
- 4G LTE
- Colors and Markings
- Multi-Button

HelpPoints Available in: Red, Blue, Yellow, Gray and Stainless Steel. Call for configuration assistance.



- I** **9' Tower Emergency Telephones**
With a single press of a button, those in distress are provided two-way connection with security personnel.

IP PoE Clocks, SIP Gateways, LED Signs



Analog Clocks

- A** 12" Analog ClockVIP-A12A
 12" Analog Clock - Double SidedVIP-A12ADS
- B** 16" Analog ClockVIP-A16A
 16" Analog Clock - Double SidedVIP-A16ADS

• Synchronized Clocks Keeps Everyone On Time

Digital Clocks

- C** 4 Digit-2.5" High Digital ClocksVIP-D425A
 4 Digit-2.5" High Digital Clocks - Double SidedVIP-D425ADS
- D** 4 Digit-4.0" High Digital ClocksVIP-D440A
 4 Digit-4.0" High Digital Clocks - Double SidedVIP-D440ADS
- E** 6 Digit-2.5" High Digital ClocksVIP-D625A
 6 Digit-2.5" High Digital Clocks - Double SidedVIP-D625ADS
- F** 6 Digit-4.0" High Digital ClocksVIP-D640A
 6 Digit-4.0" High Digital Clocks - Double SidedVIP-D640ADS

• Surface Mount - Wall or Ceiling



Gateways & Amplifiers

- 1 Zone of One-Way Analog Paging
 Plus 8 Zones of IP Paging**VIP-201A
- 1 Analog Audio Output
 - 1 AUX Audio Input
 - 2 Programmable Form C Relay Closures
- 4 Zones of One-Way Analog Paging
 Plus 8 Zones of IP Paging**VIP-204A
- 4 Analog Audio Output
 - 1 AUX Audio Input
 - 4 Programmable Form A Relay Closures
- Amplifiers**
- SIP 20W Amplifier 25V**VIP-851-25
- SIP 20W Amplifier 25/70/100V**VIP-851-70/100

Audio Ports (Line Level -10dbm)


- 1 Audio Port**VIP-801A
- 1 Audio Output & Input
 - 1 Contact Closure Input
 - 2 Programmable Form C Relay Contacts
- 2 Audio Ports**VIP-802A
- 2 Audio Outputs & Inputs
 - 2 Contact Closure Inputs
 - 2 Programmable Form A Relay Contacts
- 4 Audio Ports**VIP-804A
- 4 Audio Outputs & Inputs
 - 4 Contact Closure Inputs
 - 4 Programmable Form A Relay Contacts

FXS Ports (Station Ports)

- 1 FXS Port**VIP-811A
- 1 RJ-11 FXS Port
 - 2 Programmable Form C Relay Contacts
- 2 FXS Ports**VIP-812A
- 2 RJ-11 FXS's
 - 4 Programmable Form C Relay Contacts
- 4 FXS Ports**VIP-814A
- 4 RJ-11 FXS's
 - 4 Programmable Form C Relay Contacts

FXO Ports (Loop Start)

- 1 FXO Port**VIP-821A
- 1 RJ-11 FXO
 - 1 RJ-11 Telephone Failover Connection
- 2 FXO Ports**VIP-822A
- 2 RJ-11 FXO's
 - 2 RJ-11 Telephone Failover Connections
- 4 FXO Ports**VIP-824A
- 4 RJ-11 FXO's
 - 4 RJ-11 Telephone Failover Connections



LED Scrolling Signs

- G** Small 5" High x 30" WideVL530A
- H** Large with Speakers 6.25" High x 33" WideVL550A
- I** Large with Speakers and Flashing Lights 7.75" High x 33" WideVL550AF

IP Miscellaneous

- J** 24VDC Digital Power SupplyVIP-324D
- K** IP Tie LineVIP-854