

Technical Specifications

VIP-9815A IP Stealth Corridor Speaker

- SIP enabled
- PoE (IEEE 802.3af)
- Paging, Intercom, background music, emergency alerts
- One-way paging or talkback intercom
- High-quality audio
- Quick and easy installation
- InformaCast® version available
- Indoor use only



One-way/talkback programmable

Description:

The VIP-9815A Stealth Corridor Speaker houses a 6-inch speaker and is available as one-way or talkback. The stylish enclosure provides a contemporary appearance for indoor applications that ensures an attractive solution for hotels, offices, museums, restaurants, and retail stores.

SPECIFICATIONS

SPEAKER ELEMENT

Voice coil impedance: 45 Ohms

POWER REQUIREMENTS

Power over Ethernet (POE) 802.3af compatible

NETWORK

10/100 Mbps Ethernet port
Manual or Dynamic Host Configuration Protocol (DHCP) IP address setup
Time and date synchronization using NTP

PROTOCOLS

IETF SIP (RFC3261)
IETF IGMP version 3 (RFC3376)
IETF RTP (RFC1889)
IETF RFC2833

AUDIO CODECS

G.711 u-law, others

ENVIRONMENT

Temperature: +32 to +104 °F (0 to +40 °C)
Humidity: 0 to 85% non-precipitating

HOUSING AND FINISH

20-gauge aluminum architectural bronze powder coat finish

DIMENSIONS AND WEIGHT

6.75in H x 15.75in W x 6.75in D
(17.15cm x 40.00cm x 17.15cm)
Weight: 5.20lbs (2.36kg)
Shipping Weight: 9.65lbs (4.34kg)

ARCHITECTS AND ENGINEERS

The IP Stealth Corridor Speaker, model VIP-9815A, shall enable voice paging over an IP network. The VIP-9815A shall consist of a high efficiency speaker in an unobtrusive, stylish enclosure allowing standalone capability when used with a SIP telephone system or can be accessed from a variety of Valcom managed VoIP products.

Power shall be provided to the VIP-9815A via a Power over Ethernet (PoE) switch meeting the 802.3af specification. Setup of the VIP-9815A shall be via the Valcom IP Solutions Setup Tool.

The VIP-9815A IP Stealth Corridor Speaker enclosure shall be designed for double gang FD electrical box mounting and must

be within 300ft (100 meters) of the network switch.

The VIP-9815A IP Stealth Corridor Speaker enclosure shall be constructed of 20-gauge aluminum with architectural bronze powder coated finish. The VIP-9815A shall be suitable for indoor applications.

Maximum dimensions shall be: 16.75in H x 15.75in W x 6.75in D (17.15cm x 40.00cm x 17.15cm). Weight shall be approximately 5.20lbs (2.36kg).

Warranty information may be found on our website at www.valcom.com/warranty.

2022 Rev. 1.9.1.9

